Brain Research, 399 (1986) 409–411
Elsevier

Author Index

Abu-Assal, M.L., see Bawin, S.M., 194
Adey, W.R., see Bawin, S.M., 194
Akers, R.F., see Lovinger, D.M., 205
Akil, H., see Mansour, A., 69
Almeida, O.F.X., see Nikolarakis, K.E., 152
Aou, S., see Nakano, Y., 167
Aoyagi, K., see Nakano, Y., 167
Appel, S.H., see Tomozawa, Y., 111
Arai, H. and Emson, P.C., Regional distribution of neuropeptide K and other tachykinins (neurokinin A, neurokinin B and substance P) in rat central nervous system, 240
Audsley, A.R., see Sirinathsinghji, D.J.S., 339

Bank, B., Gurd, J.W. and Chute, D.L., Decreased phosphorylation of synaptic glycoproteins following hippocampal kindling, 390
Bawin, S.M., Abu-Assal, M.L., Sheppard, A.R., Mahoney, M.D. and Adey, W.R., Long-term effects of sinusoidal extracellular electric fields in penicillin-treated rat hippocampal slices, 194
Beninger, R.J., see Morency, M.A., 33
Berkenbosch, F., Schipper, J. and Tilders, F.J.H., Corticotropin-releasing factor immunostaining in the rat spinal cord and medulla oblongata: an unexpected form of cross-reactivity with substance P, 87
Bishop, G.A. and Ho, R.H., Cell bodies of origin of serotonin-immunoreactive afferents to the inferior olivary complex of the rat, 369
Blomqvist, A., see Wiberg, M., 51
Bloom, F.E., see Wiesner, J.B., 404
Brown, M., Corticotropin releasing factor: central nervous system sites of action, 10
Buijs, R.M., see De Vries, G.J., 296

Callahan, M.F., see Mitchell, L.D., 346
Campenot, R.B., Retraction and degeneration of sympathetic neurites in response to locally elevated potassium, 357
Chihara, K., see Daikoku, S., 250
Chiu, T.H., see Yu, O., 374
Chui, H.C., see Geddes, J.W., 156
Chute, D.L., see Bank, B., 390
Colley, P.A., see Lovinger, D.M., 205
Collins, F., see Crutcher, K.A., 383
Conforti, N., see Melamed, E., 178
Conley, M., Fitzpatrick, D. and Lachica, E.A., Laminar asymmetry in the distribution of choline acetyltransferase-immunoreactive neurons in the retina of the tree shrew (*Tupaia belangeri*), 332
Conti-Tronconi, B., see Ferrero, P., 136
Cooper, S.M., see Geddes, J.W., 156
Costa, E., see Ferrero, P., 136
Cotman, C.W., see Geddes, J.W., 156
Crane, S., see Wible, C.G., 97
Creed, G.J., see Rodriguez-Sierra, J.F., 379
Crutcher, K.A. and Collins, F., Entorhinal lesions result in increased nerve growth factor-like growth-promoting activity in medium conditioned by hippocampal slice, 383
Curzon, G., see Sahakian, B.J., 162

Daikoku, S., Kawano, H., Noguchi, M., Nakanishi, J., Tokuzen, M., Chihara, K. and Nagatsu, I., GRF neurons in the rat hypothalamus, 250
De Biasi, S., Frassoni, C. and Spreafico, R., GABA immunoreactivity in the thalamic reticular nucleus of the rat. A light and electron microscopical study, 143
DeLong, M.R., see Richardson, R.T., 364
De Vries, G.J., Duetz, W., Buijs, R.M., Van Heerikhuize, J. and Vreeburg, J.T.M., Effects of androgens and estrogens on the vasopressin and oxytocin innervation of the adult brain, 296
Duetz, W., see De Vries, G.J., 296

Emson, P.C., see Arai, H., 240
Erfurth, A., see Reddington, M., 232

Ferrendelli, J.A., see Mirski, M.A., 212
Ferrero, P., Costa, E., Conti-Tronconi, B. and Guidotti, A., A diazepam binding inhibitor (DBI)-like neuropeptide is detected in human brain, 136
Findling, R.L., see Wible, C.G., 97
Fitzpatrick, D., see Conley, M., 332
Fornal, C., see Morilak, D.A., 262
Fournet, N., Garcia-Segura, L.M., Norman, A.W. and Orci, L., Selective localization of calcium-binding protein in human brainstem, cerebellum and spinal cord, 310
Frassoni, C., see De Biasi, S., 143

Gainer, H., see Wolfe Jr., S.A., 190
Garcia-Segura,, L.M., see Fournet, N., 310
Geary II, W.A. and Wooten, G.F., Time action profiles of regional cerebral glucose utilization during naloxone-precipitated morphine withdrawal, 181
Geddes, J.W., Chui, H.C., Cooper, S.M., Lott, I.T. and Cotman, C.W., Density and distribution of NMDA receptors in the human hippocampus in Alzheimer's disease, 156
Goldberg, A., see Melamed, E., 178
Gonatas, N.K., see Rhodes, C.H., 42
Gratton, A., see Jenck, F., 24
Greenwood, J., Luthert, P.J., Pratt, O.E. and Lantos, P.L., Transport of thiamin across the blood–brain barrier of the rat in the absence of aerobic metabolism, 148
Guidotti, A., see Ferrero, P., 136
Gurd, J.W., see Bank, B., 390

Hallonquist, J.D., see Mrosovsky, N., 282
Henriksen, S.J., see Wiesner, J.B., 404
Herz, A., see Nikolarakis, K.E., 152
Heydorn, W.E., see Rodriguez-Sierra, J.F., 379
Ho, R.H., see Bishop, G.A., 369
Hoffman, G., see Wray, S., 327
Hutson, P.H., see Sahakian, B.J., 162

Ikeda, H., see Tsujii, S., 200
Imura, H., see Tsujii, S., 200

Ishida, M., see Shinozaki, H., 395
Ito, M., see Yu, O., 374

Jackson, A., see Sahakian, B.J., 162
Jacobowitz, D.M., see Rodriguez-Sierra, J.F., 379
Jacobs, B.L., see Morilak, D.A., 262
Jarrott, B., see Lewis, S.J., 173
Jenck, F., Gratton, A. and Wise, R.A., Opposite effects of ventral tegmental and periaqueductal gray morphine injections on lateral hypothalamic stimulation-induced feeding, 24
Johnson, A.K., see Mitchell, L.D., 346

Kantamaneni, D.B., see Sahakian, B.J., 162
Kato, H., see Miyakawa, H., 303
Kawano, H., see Daikoku, S., 250
Khachaturian, H., see Mansour, A., 69
Kitamoto, T., see Tashima, T., 80
Klockgether, T., Turski, L., Schwarz, M. and Sontag, K.-H., Motor actions of excitatory amino acids and their antagonists within the rat ventromedial thalamic nucleus, 1
Koh, T., see Tsujii, S., 200

Lachica, E.A., see Conley, M., 332
Lang, E.J., see Wible, C.G., 97
Lantos, P.L., see Greenwood, J., 148
Lee, K.S., see Reddington, M., 232
Lénárd, L., see Nakano, Y., 167
Lewis, M.E., see Mansour, A., 69
Lewis, S.J., Shulkes, A. and Jarrott, B., Regional brain concentrations of vasoactive intestinal polypeptide in normotensive Wistar–Kyoto and spontaneously hypertensive rats, 173
Lott, I.T., see Geddes, J.W., 156
Lovinger, D.M., Colley, P.A., Akers, R.F., Nelson, R.B. and Routtenberg, A., Direct relation of long-term synaptic potentiation to phosphorylation of membrane protein F_1, a substrate for membrane protein kinase C, 205
Lutherer, L.O., see Williams, J.L., 224
Luthert, P.J., see Greenwood, J., 148

Mahoney, M.D., see Bawin, S.M., 194
Mansour, A., Lewis, M.E., Khachaturian, H., Akil, H. and Watson, S.J., Pharmacological and anatomical evidence of selective μ, δ, and $\varkappa$ opioid receptor binding in rat brain, 69
Matsuo, T., see Tsujii, S., 200
Melamed, E., Pikarski, E., Goldberg, A., Rosenthal, J., Uzzan, A. and Conforti, N., Effect of serotonergic, corticostriatal and kainic acid lesions on the dopaminergic neurotoxicity of 1-methyl-4-phenyl-1,2,5,6-tetrahydropyridine (MPTP) in mice, 178
Mendell, L.M., see Traub, R.J., 185
Mirski, M.A. and Ferrendelli, J.A., Anterior thalamic mediation of generalized pentylenetetrazol seizures, 212
Mitchell, L.D., Callahan, M.F., Wilkin, L.D. and Johnson, A.K., Response of supraoptic magnocellular neurons to stimulation of forebrain α-adrenoceptors, 346
Miura, M., Okada, J. and Takayama, K., Evidence that the cultured multipolar neurons of the lower brainstem of SHR and WKY rats differ significantly in the mode of responses to catecholamines, 352
Miyakawa, H. and Kato, H., Active properties of dendritic membrane examined by current source density analysis on hippocampal CA_1 pyramidal neurons, 303
Morency, M.A. and Beninger, R.J., Dopaminergic substrates of cocaine-induced place conditioning, 33
Morilak, D.A., Fornal, C. and Jacobs, B.L., Single unit activity of noradrenergic neurons in the locus coeruleus and serotonergic neurons in the nucleus raphe dorsalis of freely moving cats in relation to the cardiac cycle, 262
Moroji, T., see Sekiguchi, R., 271
Mrosovsky, N. and Hallonquist, J.D., Lateral hypothalamic lesions in ground squirrels: rapid recovery and residual deficits, 282

Nagatsu, I., see Daikoku, S., 250
Nakahama, H., see Shima, K., 317
Nakai, Y., see Tsujii, S., 200
Nakanishi, J., see Daikoku, S., 250
Nakano, Y., Oomura, Y., Lénárd, L., Nishino, H., Aou, S., Yamamoto, T. and Aoyagi, K., Feeding-related activity of glucose- and morphine-sensitive neurons in the monkey amygdala, 167
Nelson, R.B., see Lovinger, D.M., 205
Nikolarakis, K.E., Almeida, O.F.X. and Herz, A., Stimulation of hypothalamic β-endorphin and dynorphin release by corticotropin-releasing factor (in vitro), 152
Nishino, H., see Nakano, Y., 167
Noguchi, M., see Daikoku, S., 250
Norman, A.W., see Fournet, N., 310

Okada, J., see Miura, M., 352
Okamoto, T., see Shinozaki, H., 395
Olton, D.S., see Wible, C.G., 97
Oomura, Y., see Nakano, Y., 167
Orci, L., see Fournet, N., 310

Pau, K.-Y.F. and Spies, H.G., Estrogen-dependent effects of norepinephrine on hypothalamic gonadotropin-releasing hormone release in the rabbit, 15
Pikarski, E., see Melamed, E., 178
Pratt, O.E., see Greenwood, J., 148

Reddington, M., Erfurth, A. and Lee, K.S., Heterogeneity of binding sites for N-ethylcarboxamido[^{3}H]adenosine in rat brain: effects of N-ethylmaleimide, 232
Rhodes, C.H. and Gonatas, N.K., Lectin affinity and PAGE analysis of soluble axonally transported glycoconjugates in the rat visual system, 42
Richardson, R.T. and DeLong, M.R., Nucleus basalis of Meynert neuronal activity during a delayed response task in monkey, 364
Robinson, P.J., see Williams, J.L., 224
Rodriguez-Sierra, J.F., Heydorn, W.E., Creed, G.J. and Jacobowitz, D.M., Isolation of specific proteins affected by estradial in the arcuate-median eminence of prepuberal female rats, 379
Rosenberg, H.C., see Yu, O., 374
Rosenthal, J., see Melamed, E., 178
Routtenberg, A., see Lovinger, D.M., 205
Ryan, A.F. and Schwartz, I.R., Nipecotic acid: preferential accumulation in the cochlea by GABA uptake systems and selective regrograde transport to brainstem, 399

Sahakian, B.J., Sarna, G.S., Kantamaneni, D.B., Jackson, A., Hutson, P.H. and Curzon, G., CSF tryptophan and transmitter amine turnover may predict social behaviour in the normal rat, 162
Sarna, G.S., see Sahakian, B.J., 162

Sato, Y., see Tashima, T., 80
Schipper, J., see Berkenbosch, F., 87
Schwartz, I.R., see Ryan, A.F., 399
Schwarz, M., see Klockgether, T., 1
Sedivec, M.J., see Traub, R.J., 185
Sekiguchi, R. and Moroji, T., A comparative study on characterization and distribution of cholecystokinin binding sites among the rat, mouse and guinea pig brain, 271
Shapiro, M., see Wible, C.G., 97
Sheppard, A.R., see Bawin, S.M., 194
Shima, K., Nakahama, H. and Yamamoto, M., Firing properties of two types of nucleus raphe dorsalis neurons during the sleep–waking cycle and their responses to sensory stimuli, 317
Shinozaki, H., Ishida, M. and Okamoto, T., Acromelic acid, a novel excitatory amino acid from a poisonous mushroom: effects on the crayfish neuromuscular junction, 395
Shulkes, A., see Lewis, S.J., 173
Simons, J., see Wassef, M., 125
Sirinathisinghji, D.J.S., Whittington, P.E. and Audsley, A.R., Neurochemical changes in the substantiae nigrae and caudate nuclei following acute unilateral intranigral infusions of *N*-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP), 339
Sontag, K.-H., see Klockgether, T., 1
Sotelo, C., see Wassef, M., 125
Spies, H.G., see Pau, K.-Y.F., 15
Spreafico, R., see De Biasi, S., 143

Takahashi, H., see Tsujii, S., 200
Takayama, K., see Miura, M., 352
Tappaz, M.L., see Wassef, M., 125
Tashima, T., Kitamoto, T., Tateishi, J. and Sato, Y., Congophilia in cerebral amyloidosis is modified by inactivation procedures on slow transmissible pathogens, 80
Tateishi, J., see Tashima, T., 80
Tilders, F.J.H., see Berkenbosch, F., 87
Tokuzen, M., see Daikoku, S., 250
Tomozawa, Y. and Appel, S.H., Soluble striatal extracts enhance development of mesencephalic dopaminergic neurons in vitro, 111
Traub, R.J., Sedivec, M.J. and Mendell, L.M., The rostral projection of small diameter primary afferents in Lissauer's tract, 185
Tsujii, S., Nakai, Y., Koh, T., Takahashi, H., Usui, T., Ikeda, H., Matsuo, T. and Imura, H., Effect of food deprivation on opioid receptor binding in the brain of lean and fatty Zucker rats, 200
Turski, L., see Klockgether, T., 1

Usui, T., see Tsujii, S., 200
Uzzan, A., see Melamed, E., 178

Van Heerikhuize, J., see De Vries, G.J., 296
Vreeburg, J.T.M., see De Vries, G.J., 296

Wassef, M., Simons, J., Tappaz, M.L. and Sotelo, C., Non-Purkinje cell GABAergic innervation of the deep cerebellar nuclei: a quantitative immunocytochemical study in C57BL and in Purkinje cell degeneration mutant mice, 125
Watson, S.J., see Mansour, A., 69
Westman, J., see Wiberg, M., 51
Whittington, P.E., see Sirinathsinghji, D.J.S., 339
Wiberg, M., Westman, J. and Blomqvist, A., The projection to the mesencephalon from the sensory trigeminal nuclei. An anatomical study in the cat, 51
Wible, C.G., Findling, R.L., Shapiro, M., Lang, E.J., Crane, S. and Olton, D.S., Mnemonic correlates of unit activity in the hippocampus, 97
Wiesner, J.B., Henriksen, S.J. and Bloom, F.E., Opioid enhancement of perforant path transmission: effect of an enkephalin analog on inhibition and facilitation in the dentate gyrus, 404
Wilkin, L.D., see Mitchell, L.D., 346
Williams, J.L., Robinson, P.J. and Lutherer, L.O., Inhibitory effects of cerebellar lesions on respiration in the spontaneously breathing, anesthetized cat, 224
Wise, R.A., see Jenck, F., 24
Wolfe Jr., S.A. and Gainer, H., Effects of calcium on frequency-modulated secretion of vasopressin from isolated murine neural lobes, 190
Wooten, G.F., see Geary II, W.A., 181
Wray, S. and Hoffman, G., Catecholamine innervation of LH-RH neurons: a development study, 327

Yamamoto, M., see Shima, K., 317
Yamamoto, T., see Nakano, Y., 167
Yu, O., Ito, M., Chiu, T.H. and Rosenberg, H.C., GABA-gated chloride ion influx and receptor binding studies in C57BL6J and DBA2J mice, 374